EC Declaration of Conformity

We	Trumeter
of	Pilot Mill Alfred Street Bury, Lancs England BL9 9JR

in accordance with the following Directives:

2014/35/EU	The Low Voltage Directive (LVD)
2014/30/EU	The Electromagnetic Compatibility Directive (EMC)
2011/65/EU	The Restriction of Hazardous Substances Directive (RoHS 2)

hereby declare under our sole responsibility that:

Equipment	Model 49 Reset and Non- Reset Counter
Model number(s)	FL1-4916, FL2-4916, FL3-4916, FL7-4916CD, FL8-4916D, OR1-4916B, OR2-4916B, P12-4916, P2-4916, P8-4916, P9-4916, R11-4916D, R1-4916, R2-4916, R7-4916, R8-4916, R9-4916, R9-4916AD, R11-4916D, RV10-4916, RV11-4916, RV11-4916A, RV14-4916, RV1-4916, RV1-4916E, RV2-4916, RV2-4916B, RV2-4916E, RV3-4916, RV8-4916, RV4-4916, RV9-4916, RV9-4916D, P2-4906, P9-4906, P8-4906, D2-4904, D2-4906, P2-4904, B8-4904, D8-4906, P8-4904, P8-4906NR, P9-4904, R7-4916A, P12-4916AE, R9-4916A, R9-4916BD, RV14-4916A, R2-4916A, FL12-4916, FL9-4916A, P2-4916A, P9-4916A, R8-4916B, RV2-4916AE

are in conformity with the applicable requirements of the following documents:

Reference	Title	Edition (Date)
IEC 61010-1	Safety requirements for electrical equipment for measurement, control, and laboratory use	3.0 (2010-06)
IEC 61326-1	EMC requirements for equipment designed for measurement, control and laboratory use	2.0 (2012-07)
IEC 61000-4-2	Electrostatic discharge (ESD) immunity test	2.0 (2008-12)
IEC 61000-4-3	Radiated, radio-frequency, electromagnetic field immunity test	3.2 (2010-04)
IEC 61000-4-4	Electrical fast transient/burst immunity test	3.0 (2012-04)
IEC 61000-4-5	Surge immunity test	3.0 (2014-05)
IEC 61000-4-6	Immunity to conducted disturbances, induced by radio-frequency fields	4.0 (2013-10)
IEC 61000-4-8	Power frequency magnetic field immunity tests	2.0 (2009-09)
IEC 61000-4-23	Immunity to voltage dips, for DC input ports	2.0 (2001)
CISPR-11	Conducted and Radiated Emissions	6.0 (2016-06)

I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.

Signed by: .....

Name: Gil Copitch

Position: CEO

Done at Bury

On 13/05/2025

CE 23

Document number: DOC5722
(issue 4)

Trumeter Technologies Ltd
Pilot Mill
Alfred Street
Bury BL9 9EF

tel +44 (0)161 674 0960
fax +44 (0)161 480 8773
email info@trumeter.com
web www.trumeter.com

Registration number: 7115948