EC Declaration of Conformity

We	Trumeter
of	Pilot Mill Alfred Street Bury, Lancs England BL9 9EF

in accordance with the following Directives:

2014/35/EU	The Low Voltage Directive (LVD)
2014/30/EU	The Electromagnetic Compatibility Directive (EMC)
2011/65/EU	The Restriction of Hazardous Substances Directive (RoHS 2)

hereby declare under our sole responsibility that:

Equipment	Digital Measure Meter
Model number(s)	5500E

are in conformity with the applicable requirements of the following documents:

Reference	Title	Edition (Date)
IEC 61010-1	Safety requirements for electrical equipment for measurement, control, and laboratory use	3.0 (2010-06)
IEC 61326-1	EMC requirements for equipment designed for measurement, control and laboratory use	2.0 (2012-07)
IEC 61000-4-2	Electrostatic discharge (ESD) immunity test	2.0 (2008-12)
IEC 61000-4-3	Radiated, radio-frequency, electromagnetic field immunity test	3.2 (2010-04)
IEC 61000-4-6	Immunity to conducted disturbances, induced by radio-frequency fields	**4.0 (2013-10)**
CISPR-11	Conducted and Radiated Emissions	6.0 (2016-06)

I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.

Signed by: .....

Name:	Gil Copitch
Position:	CEO
Done at	Bury
On	16/02/2022

CE 22

Document number: 5739

Issue 2

Trumeter Technologies Ltd
Pilot Mill
Alfred Street
Bury BL9 9EF

tel +44 (0)161 674 0960
fax +44 (0)161 480 8773
email info@trumeter.com
web www.trumeter.com

Registration number: 7115948

UK Declaration of Conformity

We	Trumeter
of	Pilot Mill Alfred Street Bury, Lancs England BL9 9EF

in accordance with the following Directives:

The Electrical Equipment (Safety) Regulations 2016

The Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment (Amendment) Regulations 2021

hereby declare under our sole responsibility that:

Equipment	Digital Measure Meter
Model number(s)	5500E

are in conformity with the applicable requirements of the following documents:

Reference	Title	Edition (Date)
IEC 61010-1	Safety requirements for electrical equipment for measurement, control, and laboratory use	3.0 (2010-06)
IEC 61326-1	EMC requirements for equipment designed for measurement, control and laboratory use	2.0 (2012-07)
IEC 61000-4-2	Electrostatic discharge (ESD) immunity test	2.0 (2008-12)
IEC 61000-4-3	Radiated, radio-frequency, electromagnetic field immunity test	3.2 (2010-04)
IEC 61000-4-6	Immunity to conducted disturbances, induced by radio-frequency fields	**4.0 (2013-10)**
CISPR-11	Conducted and Radiated Emissions	6.0 (2016-06)

I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.

Signed by: .....

Name:	Gil Copitch
Position:	CEO
Done at	Bury
On	16/02/2022

Document number: 5739

Trumeter Technologies Ltd
Pilot Mill
Alfred Street
Bury BL9 9EF

tel +44 (0)161 674 0960
fax +44 (0)161 480 8773
email info@trumeter.com
web www.trumeter.com

Registration number: 7115948