

ELECTRONIC HOUR METERS



ELECTROMECHANICAL HOUR METERS



ELECTROMECHANICAL COUNTERS



Electronic Hour Meters

	Product	Description	Trumeter Alternative	Trumeter Image	Differences
	E5-224-C0440	Hours/minutes, 0.94 x 1.89 in (24 x 48 mm)	7511		
	E5-224-C0450	Minutes/seconds, 0.94 x 1.89 in (24 x 48 mm)	7511		
	E5-224-C0448	Hours/minutes, 10–260V input, 0.94 x 1.89 in (24 x 48 mm)	7511HV		
	E5-224-C0458	Minutes/seconds, 10–260V input 0.94 x 1.89 in (24 x 48 mm)	7511HV		
	E42DIR48230	Elapsed hour meter, 48–150 Vdc/100–230 Vac, Rnd	3410-3000		
	E42DIR48230R	Elapsed hour meter with reset, 48–150 Vdc/100–230 Vac, Rnd	3410-3010		3410 does not have reset
	E42DIR1260	Elapsed hour meter, 12–48 Vdc/20–60 Vac, Rnd	3410-3000		
	E42DI2448230	Elapsed hour meter, 48–150 Vdc/100–230 Vac	3410-0000		
	E42DI2448230R	Elapsed hour meter, with reset, 48–150 Vdc/100–230 Vac	3410-0010		3410 does not have reset



E42DI241260

Elapsed hour meter,
12-48 Vdc/20-60 Vac

[3410-0000](#)



































Electromechanical Hour Meters



	Product	Termination	Trumeter Alternative	Trumeter Image	Differences
	8-T-65-4848PM-402	10-30 Vdc, 1.89 x 1.89 in (48 x 48 mm)	732-0030		
	7-T-65-4848PM-406	100-130 Vac, 1.89 x 1.89 in (48 x 48 mm)	722-0030		
	6-T-3H-508RPM-406	115 Vac, 2.80 in (71.1 mm) round	722-0004		
	6-T-3H-508RPM-402	10-80 Vdc, 2.80 in (71.1 mm) round	732-0001		

Electromechanical Counters

	Product	Termination	Trumeter Alternative	Trumeter Image	Differences
	6-Y-41611-401-SE	Base mount sub-miniature 12 Vdc	OR9-4916		OR Series has metal base
	6-Y-41611-402-SE	Base mount sub-miniature 24 Vdc	OR8-4916		OR Series has metal base
	6-Y-41611-406-SE	Base mount sub-miniature 120 Vac	OR2-4916		OR Series has metal base
	6-Y-41611-407-SE	Base mount sub-miniature 240 Vac	OR1-4916		OR Series has metal base

	6-Y-41613-401-SE	Panel mount sub-miniature 12 Vdc	FL9-4916		
	6-Y-41613-402-SE	Panel mount sub-miniature 24 Vdc	FL8-4916		
	6-Y-41613-406-SE	Panel mount sub-miniature 120 Vac	FL2-4916		
	6-Y-41613-407-SE	Panel mount sub-miniature 240 Vac	FL1-4916		
	6-Y-41622-401-SE	Special base mount sub-miniature 12 Vdc	RV9-4916		RV Series has metal base
	6-Y-41622-402-SE	Special base mount sub-miniature 24 Vdc	RV8-4916		RV Series has metal base
	6-Y-41622-406-SE	Special base mount sub-miniature 120 Vac	RV2-4916		RV Series has metal base
	6-Y-41622-407-SE	Special base mount sub-miniature 240 Vac	RV1-4916		RV Series has metal base
	6-Y-41623-401-SE	Special top mount sub-miniature 12 Vdc	R9-4916		
	6-Y-41623-402-SE	Special top mount sub-miniature 24 Vdc	R8-4916		
	6-Y-41623-406-SE	Special top mount sub-miniature 120 Vac	R2-4916		
	6-Y-41623-407-SE	Special top mount sub-miniature 240 Vac	R1-4916		

Tel: +1 954 725 6699 Email: sales.usa@trumeter.com

702 S. Military Trail, Deerfield Beach, FL 33442